




Product data sheet

April 11th, 2023

Product			
Trade name:		Description:	
Slider 755		Giant metal refill with Viscoglide® technology for smooth and gliding writing. ISO format G2.	
Article no.	Line width	Writing colour	Internal no.
175601	M	black	408012
175602	M	red	408013
175603	M	blue	408014
175604	M	green	408015
175501	XB	black	408008
175502	XB	red	408009
175503	XB	blue	408010
175504	XB	green	408011
		Writing colour black, blue and green are waterproof according to ink standard ISO 12757-2.	
		The wear-resistant stainless steel tip guarantees that the large ink supply can be fully used and does not smear.	
		The ink dries quickly – even on smooth paper – and is smudge proof when highlighting it later on.	
		Fits all Schneider Plug+Play ballpoint pens as well as many other pen types.	
		Produced CO2 neutrally.	
		 	
			
Figure: Article No. 175603, Slider 755 blue			

Components		
Barrel:	Ink:	
Used material per pen:	Filling per pen:	1.0 g
Brass, nickel plated Polyoxymethylene (POM) Stainless steel, hard metal	Paste consists of colorants, solvents, resins and additives.	

Indication for security and environment	
Barrel:	Ink:
Hazardous ingredients none according to EU directives	The information in this section is based on the safety data sheet according to Regulation (EC) No. 1907/2006 (REACH). All stated contents are provided in percentage by weight.

Writing colour black

Hazardous ingredients

2-Phenoxyethanol 25 – 50 %	CAS 122-99-6
Benzyl alcohol 10 – 25 %	CAS 100-51-6
C. I. Solvent Black 46 10 – 25 %	CAS 65113-55-5
Phosphoric acid mono-bis- (2-ethylhexyl) -ester ≤ 1 %	CAS 12645-31-7

Classification of the mixture:



GHS05 Corrosion
Eye Dam. 1
H318 Causes serious eye damage.



GHS09 Environment
Aquatic Acute 1
H400 Very toxic to aquatic life.
Aquatic Chronic 1
H410 Very toxic to aquatic life with long lasting effects.



GHS07
Skin Irrit. 2
H315 Causes skin irritation.
Skin Sens. 1
H317 May cause an allergic skin reaction.
STOT SE 3
H335 May cause respiratory irritation.

Writing colour red

Hazardous ingredients

2-Phenoxyethanol 25 – 50 %	CAS 122-99-6
C. I. Solvent Red 252 10 – 25 %	CAS 1261971-57-6
Butane-1,4-diol 10 – 25 %	CAS 110-63-4

Classification of the mixture:



GHS05 Corrosion
Eye Dam. 1
H318 Causes serious eye damage.



GHS09 Environment
Aquatic Chronic 1
H410 Very toxic to aquatic life with long lasting effects.



GHS07
Skin Sens. 1
H317 May cause an allergic skin reaction.

Writing colour blue

Hazardous ingredients

2-Phenoxyethanol 25 – <50 %	CAS 122-99-6
Phosphoric acid mono-bis- (2-ethylhexyl) -ester 10 – <25%	CAS 12645-31-7
C.I.Solvent Blue 51 5 – <10 %	CAS 68411-04-1
Benzyl alcohol 5 – <10 %	CAS 100-51-6
C. I. Solvent Blue 4: less than 0,1 % Michler's Ketone 5 – <10 %	CAS 6786-83-0
C. I. Solvent Violet 8 3 – <5 %	CAS 561-41-1

Classification of the mixture:



GHS05 Corrosion
Eye Dam. 1
H318 Causes serious eye damage.





GHS07
Skin Irrit. 2
H315 Causes skin irritation.
Skin Sens. 1
H317 May cause an allergic skin reaction.
STOT SE 3
H335 May cause respiratory irritation.

Schreibfarbe grün

Gefährliche Inhaltsstoffe

2-Phenoxyethanol 25 – 50 %	CAS 122-99-6
Benzylalkohol 10 – 25 %	CAS 100-51-6
C. I. Solvent Blue 51 2,5 – 10 %	CAS 68411-04-1
C. I. Solvent Yellow 82 2,5 – 10 %	CAS 85029-58-9
Phosphorsäure mono bis(2-ethylhexyl)ester 2,5 – 10 %	CAS 12645-31-7

	<p>Einstufung des Gemischs:</p>  <p>GHS05 Ätzwirkung Eye Dam. 1 H318 Verursacht schwere Augenschäden.</p>  <p>GHS07 Skin Irrit. 2 H315 Verursacht Hautreizungen. Skin Sens. 1 H317 Kann allergische Hautreaktionen verursachen.</p> <p>Aquatic Chronic 3 H412 Schädlich für Wasserorganismen, mit langfristiger Wirkung.</p>
Flashpoint: none	Flashpoint: Writing colours black and green: 101 °C Writing colours red and blue: > 100 °C
Solubility in water: insoluble	Solubility in water: not miscible / difficult to mix
Extinguishing media: <ul style="list-style-type: none"> • Water spray • CO₂ • Dry-chemical fire extinguisher • Foam 	Contact with skin: Wash with water and soap, do not use solvents.
	After swallowing: Rinse mouth with water. In case of complaints, call immediately a doctor.
	After Eye contact: Remove contact lenses. Rinse opened eye for several minutes under running water. Then consult a doctor.
	Odour: Agreeably sweet / aromatic. No dangerous vapours because of low concentration during writing process.
Disposal: Environmentally friendly. No contamination of air or ground water in combusting plant. Empty refills can be disposed off with daily garbage considering local regulations.	Disposal: <u>Europe</u> According to local regulation, ex. to dispose of as colours. European waste catalogue "Code 080111".

The above mentioned data are based on our today's knowledge. They don't guarantee characteristics. Users of our products have to consider present laws and regulations in own responsibility.

The information in this product data sheet refers to commercial quantities of finished products. It may not be always applicable for materials and preparations used for industrial processing.

Schneider has been certified as the first company of the writing instruments industry since 1998 after the world's most stringent environmental management system EMAS.