Printing date 18.01.2021 Version number 1 Revision: 18.01.2021

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: Fan tower\_battery 17079

· Article number: 871125217079 01

· 1.2 Relevant identified uses of the substance or mixture and uses advised against

· Sector of Use SU21 Consumer uses: Private households / general public / consumers

· 1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier: EDCO Eindhoven B.V. Adriaan Mulderweg 9/11 5657 EM Eindhoven The Netherlands ivan.huntjens@edco.nl

· Further information obtainable from: Product safety department

• 1.4 Emergency telephone number: During normal opening times: +31 40 250 11 11

#### SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

The ingredients are contained in a hermetically-sealed case, designed to withstand temperatures and pressures encountered during normal use. As a result, during normal use, hazardous materials are fully contained inside the battery. The battery should not be opened or exposed to heat because exposure to the following ingredients contained within could be harmful under some circumstance. The following information is provided for the user's information only.

Classification according to Regulation (EC) No 1272/2008 The product is not classified, according to the CLP regulation.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard-determining components of labelling:

manganese dioxide 1,2-dimethoxyethane lithium perchlorate

- · Hazard statements Void
- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable. · **vPvB**: Not applicable.

#### SECTION 3: Composition/information on ingredients

- · 3.2 Chemical characterisation: Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:		
	manganese dioxide  • Acute Tox. 4, H302; Acute Tox. 4, H332	28.0%
CAS: 108-32-7 EINECS: 203-572-1 Index number: 607-194-00-1	propylene carbonate •• Eye Irrit. 2, H319	6.0%
CAS: 110-71-4 EINECS: 203-794-9 Index number: 603-031-00-3	1,2-dimethoxyethane	3.6%

(Contd. on page 2)

Printing date 18.01.2021 Version number 1 Revision: 18.01.2021

Trade name: Fan tower\_battery 17079

CAS: 7439-93-2 EINECS: 231-102-5 Index number: 003-001-00-4	lithium  Water-react. 1, H260; Skin Corr. 1B, H314	2.2%
	lithium perchlorate  Ox. Sol. 1, H271; Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335	1.1%
·SVHC		•
110-71-4 1,2-dimethoxyethan	ne e	

#### SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information: No special measures required.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

#### **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- · Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

#### SECTION 6: Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · 6.3 Methods and material for containment and cleaning up: Pick up mechanically.
- · 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

#### SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling No special measures required.
- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · Storage class: 11
- · 7.3 Specific end use(s) No further relevant information available.

FI

Printing date 18.01.2021 Version number 1 Revision: 18.01.2021

Trade name: Fan tower\_battery 17079

(Contd. of page 2)

#### SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- · Additional information about design of technical facilities: No further data; see item 7.
- · Ingredients with limit values that require monitoring at the workplace:

#### 1313-13-9 manganese dioxide

IOELV Long-term value: 0.2\* 0.05\*\* mg/m³ as Mn; \*inhalable, \*\*respirable fraction

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

- · Respiratory protection: Not required.
- · Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Not required.

### SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties · General Information		
· Appearance:		
Form:	Solid	
Colour:	Not determined.	
· Odour:	Odourless	
· Odour threshold:	Not determined.	
· pH-value:	Not applicable.	
· Change in condition Melting point/freezing point: Initial boiling point and boiling range	Undetermined. : 242 °C	
· Flash point:	135 °C	
· Flammability (solid, gas):	Not determined.	
· Ignition temperature:	430 °C	
Decomposition temperature:	Not determined.	
$\cdot$ $Auto$ -ignition temperature:	Product is not selfigniting.	
· Explosive properties:	Product does not present an explosion hazard.	

(Contd. on page 4)

Printing date 18.01.2021 Version number 1 Revision: 18.01.2021

Trade name: Fan tower\_battery 17079

	(Cont	d. of pag
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
· Vapour pressure:	Not applicable.	
Density:	Not determined.	
Relative density	Not determined.	
· Vapour density	Not applicable.	
· Evaporation rate	Not applicable.	
· Solubility in / Miscibility with		
water:	Soluble.	
Partition coefficient: n-octanol/water:	Not determined.	
· Viscosity:		
Dynamic:	Not applicable.	
Kinematic:	Not applicable.	
· Solvent content:		
Organic solvents:	9.6 %	
VOC (EC)	9.60 %	
Solids content:	100.0 %	
9.2 Other information	No further relevant information available.	

#### SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

#### SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.
- · LD/LC50 values relevant for classification:

#### 108-32-7 propylene carbonate

Oral LD50 29,000 mg/kg (rat)

#### 110-71-4 1,2-dimethoxyethane

Oral LD50 5,370 mg/kg (rat)

- · Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Additional toxicological information:
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.

(Contd. on page 5)

Printing date 18.01.2021 Version number 1 Revision: 18.01.2021

Trade name: Fan tower\_battery 17079

(Contd. of page 4)

· Aspiration hazard Based on available data, the classification criteria are not met.

### SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

### SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation Smaller quantities can be disposed of with household waste.
- · Uncleaned packaging:
- Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

14.1 UN-Number ADR, IMDG, IATA	UN3091
· 14.2 UN proper shipping name · ADR	3091 LITHIUM METAL BATTERIES CONTAINED I. EQUIPMENT mixture
· IMDG, IATA	LITHIUM METAL BATTERIES CONTAINED I. EQUIPMENT mixture
14.3 Transport hazard class(es)	
Class	9 (M4) Miscellaneous dangerous substances and articles.
Label	9A
IMDG, IATA	

(Contd. on page 6)

Printing date 18.01.2021 Version number 1 Revision: 18.01.2021

Trade name: Fan tower\_battery 17079

	(Contd. of page
14.4 Packing group	
ADR, IMDG, IATA	Void
14.5 Environmental hazards:	Not applicable.
14.6 Special precautions for user	Warning: Miscellaneous dangerous substances and articles.
Hazard identification number (Kemler code):	-
EMS Number:	F- $A$ , $S$ - $I$
Stowage Category	A
Stowage Code	SW19 For batteries transported in accordance with SP 37 or SP 377 Category C, unless transported on a short
	international voyage.
· 14.7 Transport in bulk according to Annex II o	of
Marpol and the IBC Code	Not applicable.
Transport/Additional information:	
· ADR	
Limited quantities (LQ)	0
Excepted quantities (EQ)	Code: E0
	Not permitted as Excepted Quantity
Transport category	2
Tunnel restriction code	E
· IMDG	
Limited quantities (LQ)	0
Excepted quantities (EQ)	Code: E0
• • • • • •	Not permitted as Excepted Quantity
UN ''Model Regulation'':	UN 3091 LITHIUM METAL BATTERIES CONTAINED II EQUIPMENT MIXTURE

#### SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard-determining components of labelling:

manganese dioxide

1,2-dimethoxyethane

lithium perchlorate

- · Hazard statements Void
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment Annex II

None of the ingredients is listed.

- · National regulations:
- · Other regulations, limitations and prohibitive regulations
- · Substances of very high concern (SVHC) according to REACH, Article 57

110-71-4 1,2-dimethoxyethane

(Contd. on page 7)

Printing date 18.01.2021 Version number 1 Revision: 18.01.2021

Trade name: Fan tower battery 17079

(Contd. of page 6)

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Relevant phrases

- H225 Highly flammable liquid and vapour.
- H260 In contact with water releases flammable gases which may ignite spontaneously.
- H271 May cause fire or explosion; strong oxidiser.
- H302 Harmful if swallowed.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H319 Causes serious eye irritation.
- H332 Harmful if inhaled.
- H335 May cause respiratory irritation.

H360FD May damage fertility. May damage the unborn child.

#### · Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 2: Flammable liquids – Category 2

Water-react. 1: Substances and mixtures which in contact with water emit flammable gases – Category 1

Ox. Sol. 1: Oxidizing solids - Category 1

Acute Tox. 4: Acute toxicity - Category 4

Skin Corr. 1B: Skin corrosion/irritation – Category 1B

Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Repr. 1B: Reproductive toxicity - Category 1B

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

\* Data compared to the previous version altered.