





## Product data sheet



March 21<sup>st</sup>, 2024

Product																											
<b>Trade name:</b>		<b>Description:</b>																									
<p>One Business</p> <table border="1"> <thead> <tr> <th><u>Article-number</u></th> <th><u>Line width</u></th> <th><u>Writing-colour</u></th> <th><u>Internal number</u></th> </tr> </thead> <tbody> <tr> <td>183001</td> <td>0,6</td> <td>black</td> <td>423140</td> </tr> <tr> <td>183002</td> <td>0,6</td> <td>red</td> <td>423141</td> </tr> <tr> <td>183003</td> <td>0,6</td> <td>blue</td> <td>423142</td> </tr> <tr> <td>183004</td> <td>0,6</td> <td>green</td> <td>423143</td> </tr> <tr> <td>183008</td> <td>0,6</td> <td>violet</td> <td>423144</td> </tr> </tbody> </table>				<u>Article-number</u>	<u>Line width</u>	<u>Writing-colour</u>	<u>Internal number</u>	183001	0,6	black	423140	183002	0,6	red	423141	183003	0,6	blue	423142	183004	0,6	green	423143	183008	0,6	violet	423144
<u>Article-number</u>	<u>Line width</u>	<u>Writing-colour</u>	<u>Internal number</u>																								
183001	0,6	black	423140																								
183002	0,6	red	423141																								
183003	0,6	blue	423142																								
183004	0,6	green	423143																								
183008	0,6	violet	423144																								
 		<ul style="list-style-type: none"> <li>• Ink-roller with ultra-smooth tip for a good writing feeling</li> <li>• line width 0,6mm</li> <li>• waterproof according to ISO 14145-2</li> <li>• super-flow-system for even ink-flow</li> <li>• large ink reservoir, controllable with a viewing window</li> <li>• Cap off-ink, does not dry out if the cap is removed for 2-3 days.</li> <li>• Inks contain preservatives C(M)IT/MIT.</li> <li>• ergonomic rubberised surface</li> <li>• premium metal clip</li> <li>• The One Business is produced climate neutral.</li> </ul>  																									



Picture: One Business, writing colour blue (Art.-Nr. 183003)

Components		
<b>Barrel:</b>	<b>Ink:</b>	
<b>Used material:</b>	<b>Filling per pen:</b>	1,8g
ABS polypropylene TPE Polyester POM carbide ball Stainless steel	Aqueous ink consisting of a mixture of water, polyhydric alcohol, colorants and additive.	
Indication for security and environment		
<b>Barrel:</b>	<b>Ink:</b>	
<b>Hazardous ingredients</b> None according to EU directives	The information in this section is based on the safety data sheet according to Regulation (EC) No. 1907/2006 (REACH). All stated contents are provided in percentage by weight.	

	<p><b>Writing colour black</b></p> <p><b>Hazardous ingredients</b></p> <p>2,2'-oxydiethanol CAS 111-46-6 15-30%</p> <p>Direct Blue CAS 68411-04-1 1-5%</p> <p>Basic Yellow 28 MS CAS 54060-92-3 1-&lt;3%</p> <p>2-Brom-2-Nitropropan-1,3-diol CAS 52-51-7 0,014-0,0434%</p> <p>Reaction mass of 5-chloro-2-methyl-4-isothiazolin-3-one:2-methyl-2H-isotihiazolin-3-one 3:1 0,00048-0,001488%</p> <p><b>Classification of the mixture:</b></p> <p> GHS07 Eye Irrit.2/H319 H319 Causes serious eye irritation.</p> <p>Aquatic Chronic 3/H412 H412 Harmful to aquatic life with long lasting effects.</p> <p><b>Complementary hazard features:</b> <b>EUH 208</b> contains reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazolin-3-one (3:1). May produce an allergic reaction.</p> <p><b>Writing colour red</b></p> <p><b>Hazardous ingredients</b></p> <p>ethane-1,2-diol CAS 107-21-1 18-25%</p> <p>Tolyltriazole CAS 29385-43-1 0,1-0,5%</p> <p>2-Brom-2-Nitropropan-1,3-diol CAS 52-51-7 0,024-0,0944%</p> <p>Reaction mass of 5-chloro-2-methyl-4-isothiazolin-3-one:2-methyl-2H-isothiazolin-3-one 3:1 0,00048-0,001488%</p> <p><b>Classification of the mixture:</b></p> <p> GHS08 STOT RE 2/H373 H373 May cause damage to organs (kidney) through prolonged or repeated exposure (if swallowed).</p> <p>Complementary hazard features: <b>EUH 208</b> contains reaction mass of: 5-chloro-2-methyl-4- isothiazolin-3-one and 2-</p>
--	--

methyl-2H-isothiazolin-3-one (3:1). May produce an allergic reaction.

**Writing colour blue**

**Hazardous ingredients**

2,2'-oxydiethanol 15-30%	CAS 111-46-6
Direct Blue 264 1-5%	CAS 68411-04-1
2-Brom-2-Nitropropan-1,3-diol 0,014-0,0434%	CAS 52-51-7
Reaction mass of 5-chloro-2-methyl-4-isothiazolin-3-one:2-methyl-2H-isotihiazolin-3-one 3:1 0,00048-0,001488%	CAS 55965-84-9

**Classification of the mixture:**

This mixture does not meet the criteria for classification in accordance with Regulation No 1272/2008/EG.:

**Complementary hazard features:**


**EUH 208** contains reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2methyl-2H-isothiazolin-3-one (3:1). May produce an allergic reaction.

**Writing colour green**

**Hazardous ingredients**

2,2'-oxydiethanol 15-30 %	CAS 111-46-6
Basic Green 1 1-2,4%	CAS 633-03-4
Direct Blue 0,4-0,12%	CAS 68411-04-1
2-Brom-2-Nitropropan-1,3-diol 0,014-0,0434%	CAS 52-51-7
Reaction mass of 5-chloro-2-methyl-4-isothiazolin-3-one:2-methyl-2H-isothiazolin-3-one 3:1 0,00048-0,001488%	CAS 55965-84-9

**Classification of the mixture:**

GHS07  
SkinSens.1/H317  
 H317 May cause an allergic skin reaction.  
Eye Irrit.2/H319  
H319 Causes serious eye irritation.

Aquatic Chronic 3/H412  
H412 Harmful to aquatic life with long lasting effects.

	<p><b>Complementary hazard features:</b>  <b>EUH 208</b> contains reaction mass of: 5-chloro-2-methyl-4-iso-thiazolin-3-one and 2-methyl-2H-isothiazolin-3-one (3:1). May produce an allergic reaction.</p> <p><b>Writing colour violet</b></p> <p><b>Hazardous ingredients</b></p> <table border="0"> <tr> <td>Ethane-1,2-diol 10-25 %</td> <td>CAS 107-21-1</td> </tr> <tr> <td>2-Brom-2-Nitropropan-1,3-diol 0,014-0,0434%</td> <td>CAS 52-51-7</td> </tr> <tr> <td>Reaction mass of 5-chloro-2-methyl-4-isothiazolin-3-one:2-methyl-2H-isothiazolin-3-one 3:1 0,00048-0,001488%</td> <td>CAS 55965-84-9</td> </tr> </table> <p><b>Classification of the mixture:</b></p> <div style="display: flex; align-items: center;">  <p>GHS08 STOT RE 2/H373 H373 May cause damage to organs (kidney) through prolonged or repeated exposure (if swallowed).</p> </div> <p><b>Complementary hazard features:</b>  <b>EUH 208</b> contains reaction mass of: 5-chloro-2-methyl-4-iso-thiazolin-3-one and 2-methyl-2H-isothiazolin-3-one (3:1). May produce an allergic reaction.</p>	Ethane-1,2-diol 10-25 %	CAS 107-21-1	2-Brom-2-Nitropropan-1,3-diol 0,014-0,0434%	CAS 52-51-7	Reaction mass of 5-chloro-2-methyl-4-isothiazolin-3-one:2-methyl-2H-isothiazolin-3-one 3:1 0,00048-0,001488%	CAS 55965-84-9
Ethane-1,2-diol 10-25 %	CAS 107-21-1						
2-Brom-2-Nitropropan-1,3-diol 0,014-0,0434%	CAS 52-51-7						
Reaction mass of 5-chloro-2-methyl-4-isothiazolin-3-one:2-methyl-2H-isothiazolin-3-one 3:1 0,00048-0,001488%	CAS 55965-84-9						
<p><b>Flashpoint:</b> none</p>	<p><b>Flashpoint:</b> none</p>						
<p><b>Solubility in water:</b> insoluble</p>	<p><b>Solubility in water:</b> Not limited.</p> <p><b>Contact with skin:</b> Wash with water and soap, do not use solvents.</p>						
<p><b>Extinguishing media:</b></p> <ul style="list-style-type: none"> <li>• Water spray</li> <li>• CO<sub>2</sub></li> <li>• Dry-chemical fire extinguisher</li> <li>• Foam</li> </ul>	<p><b>After swallowing:</b> Rinse mouth with water. In case of persistent symptoms consult a doctor.</p> <p><b>After eye contact:</b> Remove contact lenses. Rinse opened eye for several minutes under running water. Then consult a doctor.</p>						
<p><b>Disposal:</b> Environmentally friendly. No contamination of air or ground water in combusting plant. Empty refills can be disposed of with daily garbage considering local regulations.</p>	<p><b>Disposal:</b> <u>Europe</u> According to local regulation, ex. to dispose of as colours. European waste catalogue "Code 080111".</p>						

The information in this product data sheet refers to commercial quantities of finished products. It may not be always applicable for materials and preparations used for industrial processing.

The above-mentioned data are based on our today's knowledge. They don't guarantee characteristics. Users of our products have to consider present laws and regulations in own responsibility. This product data sheet is not subject to an updating service.

Schneider has been certified as the first company of the writing instruments industry since 1998 after the world's most stringent environmental management system EMAS.

