






## Product data sheet

Juli 31<sup>st</sup>, 2024

Product																												
<b>Trade name:</b>		<b>Description:</b>																										
<b>Slider Edge Pastel</b>		<ul style="list-style-type: none"> <li>• Ballpoint pen with Viscoglide® technology</li> <li>• For extraordinarily smooth and gliding writing</li> <li>• Eco-friendly and resource-saving *pen body made of 83 % recycled plastic</li> <li>• In eight trendy pastel colours</li> <li>• Ink dries quickly and is smudge proof when highlighting it later on</li> <li>• Rubberised three-edged barrel for relaxed writing without hand fatigue</li> <li>• Does not roll on the desk and fits perfectly into pupils' pen cases or pen drawers</li> <li>• The cap fits neatly on the end of the barrel</li> <li>• Wear-resistant stainless steel tip</li> <li>• Line width Extra Broad (XB)</li> <li>• Product with financial climate contribution: the purchase of the product supports a certified climate protection project</li> </ul>																										
<p><b>Line width:</b> XB</p> <table border="1"> <thead> <tr> <th><u>Article number</u></th> <th><u>Writing colour</u></th> <th><u>Internal number</u></th> </tr> </thead> <tbody> <tr><td>152226</td><td>Peach</td><td>473855</td></tr> <tr><td>152236</td><td>Blush</td><td>473856</td></tr> <tr><td>152229</td><td>Rose</td><td>473858</td></tr> <tr><td>152222</td><td>Flamingo</td><td>473861</td></tr> <tr><td>152228</td><td>Lilac</td><td>473864</td></tr> <tr><td>152230</td><td>Baby Blue</td><td>473866</td></tr> <tr><td>152224</td><td>Mint</td><td>473867</td></tr> <tr><td>152234</td><td>Ocean</td><td>473868</td></tr> </tbody> </table>	<u>Article number</u>		<u>Writing colour</u>	<u>Internal number</u>	152226	Peach	473855	152236	Blush	473856	152229	Rose	473858	152222	Flamingo	473861	152228	Lilac	473864	152230	Baby Blue	473866	152224	Mint	473867	152234	Ocean	473868
<u>Article number</u>	<u>Writing colour</u>	<u>Internal number</u>																										
152226	Peach	473855																										
152236	Blush	473856																										
152229	Rose	473858																										
152222	Flamingo	473861																										
152228	Lilac	473864																										
152230	Baby Blue	473866																										
152224	Mint	473867																										
152234	Ocean	473868																										
<p><b>Recycled plastic</b></p> <p>Pen body</p>	<p><b>Internal material number</b></p> <p>508317; 497181</p>	<ul style="list-style-type: none"> <li>• Both used recycling plastics are tested for harmful substances, according to the Toy Standard EN 71-3. The recycling plastic PP has an EuCertPlast certified raw material source. EuCertPlast is a Europe-wide certification program for the recycling of plastic waste. The EuCertPlast certificate of the raw material source is available to us and is monitored by us with regard to the topicality.</li> </ul>																										
<div style="text-align: center;">  </div> <div style="display: flex; align-items: center;">  <p>Product with financial <b>climate contribution</b> <small>ClimatePartner.com/53739-1409-1002</small></p> </div>																												



Components	
<b>Used material:</b>	<b>Ink:</b>
Recycled plastic materials: Polypropylene (PP) and Thermoplastic elastomer (TPE) Butyl rubber Stainless steel Hard metal	Filling per pen: 0.45 g
	Paste consists of colorants, solvents, resins and additives.

Indication for security and environment																																			
<b>Barrel:</b>	<b>Ink:</b>																																		
<b>Hazardous ingredients</b> none according to EU directives	<p>Die Informationen in diesem Abschnitt basieren auf dem Sicherheitsdatenblatt gemäß Verordnung (EG) Nr. 1907/2006 (REACH). Alle Gehaltsangaben sind in Gewichtsprozent.</p> <p><b>Writing colour Peach</b></p> <p><b>Hazardous ingredients</b></p> <table> <tr> <td>2-Phenoxyethanol</td> <td>CAS 122-99-6</td> </tr> <tr> <td>50 – &lt;75 %</td> <td></td> </tr> <tr> <td>Butane-1,4-diol</td> <td>CAS 110-63-4</td> </tr> <tr> <td>10 – &lt;25 %</td> <td></td> </tr> <tr> <td>C.I. Solvent Yellow 47</td> <td>CAS 12227-04-2</td> </tr> <tr> <td>10 – &lt;25 %</td> <td></td> </tr> <tr> <td>N-methyl-N-oleoylglycine</td> <td>CAS 110-25-8</td> </tr> <tr> <td>&lt;1 %</td> <td></td> </tr> <tr> <td>(Z)-octadec-9-enylamine, C16-18</td> <td>CAS 112-90-3</td> </tr> <tr> <td>&lt; 1%</td> <td></td> </tr> </table> <p><b>Classification of the mixture:</b></p> <p> GHS07 Acute Tox. 4 H302 Harmful if swallowed.</p> <p>Eye Irrit. 2 H319 Causes serious eye irritation.</p> <p> GHS09 Environment Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.</p> <p><b>Writing colour Blush</b></p> <p><b>Hazardous ingredients</b></p> <table> <tr> <td>2-Phenoxyethanol</td> <td>CAS 122-99-6</td> </tr> <tr> <td>50 – &lt;75 %</td> <td></td> </tr> <tr> <td>N-methyl-N-oleoylglycine</td> <td>CAS 110-25-8</td> </tr> <tr> <td>1 – &lt;5 %</td> <td></td> </tr> <tr> <td>Butane-1,4-diol</td> <td>CAS 110-63-4</td> </tr> <tr> <td>1 – &lt;5 %</td> <td></td> </tr> <tr> <td>2,2'-(octadec-9-</td> <td>CAS 25307-17-9</td> </tr> </table>	2-Phenoxyethanol	CAS 122-99-6	50 – <75 %		Butane-1,4-diol	CAS 110-63-4	10 – <25 %		C.I. Solvent Yellow 47	CAS 12227-04-2	10 – <25 %		N-methyl-N-oleoylglycine	CAS 110-25-8	<1 %		(Z)-octadec-9-enylamine, C16-18	CAS 112-90-3	< 1%		2-Phenoxyethanol	CAS 122-99-6	50 – <75 %		N-methyl-N-oleoylglycine	CAS 110-25-8	1 – <5 %		Butane-1,4-diol	CAS 110-63-4	1 – <5 %		2,2'-(octadec-9-	CAS 25307-17-9
2-Phenoxyethanol	CAS 122-99-6																																		
50 – <75 %																																			
Butane-1,4-diol	CAS 110-63-4																																		
10 – <25 %																																			
C.I. Solvent Yellow 47	CAS 12227-04-2																																		
10 – <25 %																																			
N-methyl-N-oleoylglycine	CAS 110-25-8																																		
<1 %																																			
(Z)-octadec-9-enylamine, C16-18	CAS 112-90-3																																		
< 1%																																			
2-Phenoxyethanol	CAS 122-99-6																																		
50 – <75 %																																			
N-methyl-N-oleoylglycine	CAS 110-25-8																																		
1 – <5 %																																			
Butane-1,4-diol	CAS 110-63-4																																		
1 – <5 %																																			
2,2'-(octadec-9-	CAS 25307-17-9																																		

enylimino)bisethanol  
< 1%

(Z)-octadec-9-enylamine, CAS 112-90-3  
C16-18  
< 1%

**Classification of the mixture:**



GHS07  
Eye Irrit. 2  
H319 Causes serious eye irritation.



GHS09 Environment  
Aquatic Chronic 2  
H411 Toxic to aquatic life with long lasting effects.

**Writing colour Rose**

**Hazardous ingredients**

2-Phenoxyethanol CAS 122-99-6  
50 – <75 %

2-Methylpentane-2,4-diol CAS 107-41-5  
1 – <5 %

(Z)-octadec-9-enylamine, CAS 112-90-3  
C16-18  
< 1%

(Z)-N-9-octadecenylpropane- CAS 7173-62-8  
1,3-diamine  
< 1%

**Classification of the mixture:**



GHS07  
Eye Irrit. 2  
H319 Causes serious eye irritation.



GHS09 Environment  
Aquatic Chronic 2  
H411 Toxic to aquatic life with long lasting effects.

**Writing colour Flamingo**

**Hazardous ingredients**

2-Phenoxyethanol CAS 122-99-6  
50 – <75 %

C.I. Solvent Red 252 CAS 1261971-57-6  
5 – <10 %

Butane-1,4-diol CAS 110-63-4  
5 – <10 %

(Z)-octadec-9-enylamine, CAS 112-90-3  
C16-18  
< 1%

**Classification of the mixture:**



GHS05 Corrosion  
Eye Dam. 1  
H318 Causes serious eye damage.



GHS07  
Skin Sens. 1  
H317 May cause an allergic skin reaction.



GHS09 Environment  
Aquatic Chronic 1  
H410 Very toxic to aquatic life with long lasting effects.

### Writing colour Lilac

#### **Hazardous ingredients**

2-Phenoxyethanol CAS 122-99-6  
50 – <75 %

Phenylmethanol CAS 100-51-6  
1 – <5 %

3',6'-bis(diethylamino)-3H-spiro[2-benzofuran-1,9'-xanthen]-3-one CAS 509-34-2  
1 – <5 %

(Z)-octadec-9-enylamine, C16-18 CAS 112-90-3  
< 1%

#### **Classification of the mixture:**



GHS07  
Eye Irrit. 2  
H319 Causes serious eye irritation.



GHS09 Environment  
Aquatic Chronic 2  
H411 Toxic to aquatic life with long lasting effects.

### Writing colour Baby Blue

#### **Hazardous ingredients**

2-Phenoxyethanol CAS 122-99-6  
25 – 50 %

Phenylmethanol CAS 100-51-6  
10 – 25 %

C.I. Solvent Blue 51 CAS 68411-04-1  
2,5 – 10 %

Phosphorsäure mono bis (2-ethylhexyl)ester CAS 12645-31-7  
≤ 2,5 %

#### **Classification of the mixture:**



GHS07  
 Skin Irrit. 2  
 H315 Causes skin irritation.  
 Eye Irrit. 2  
 H319 Causes serious eye irritation.

### Writing colour Mint

#### **Hazardous ingredients**

2-Phenoxyethanol 50 – <75 %	CAS 122-99-6
Phenylmethanol 5 – <10 %	CAS 100-51-6
2-Ethylhexylphosphat 1 – <5 %	CAS 12645-31-7
C.I. Solvent Yellow 82 1 – <5 %	CAS 85029-58-9
C.I. Solvent Blue 51 1 – <5 %	CAS 68411-04-1
(Z)-octadec-9-enylamine, C16-18 < 1%	CAS 112-90-3

#### **Classification of the mixture:**



GHS07  
 Skin Irrit. 2  
 H315 Causes skin irritation.  
 Eye Irrit. 2  
 H319 Causes serious eye irritation.  
 Skin Sens. 1  
 H317 May cause an allergic skin reaction.





GHS09 Environment  
 Aquatic Chronic 2  
 H411 Toxic to aquatic life with long lasting effects.

### Writing colour Ocean

#### **Hazardous ingredients**

2-Phenoxyethanol 50 – <75 %	CAS 122-99-6
Phenylmethanol 25 – <50 %	CAS 100-51-6
C.I. Solvent Blue 51 10 – <25 %	CAS 68411-04-1
Phosphorsäure mono bis (2-ethylhexyl)ester 1 – <5 %	CAS 12645-31-7
C.I. Solvent Yellow 82 1 – <5 %	CAS 85029-58-9
(Z)-N-9-octadecenylpropane-	CAS 7173-62-8

	<p>1,3-diamine &lt; 1%</p> <p><b>Classification of the mixture:</b></p> <p> GHS05 Corrosion Eye Dam. 1 H318 Causes serious eye damage.</p> <p> GHS07 Skin Irrit. 2 H315 Causes skin irritation. Skin Sens. 1 H317 May cause an allergic skin reaction.</p> <p>Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.</p>
<b>Flashpoint:</b> not determined	<b>Flashpoint:</b> Writing colour Baby Blue: 101 °C Other writing colours: not determined
<b>Solubility in water:</b> insoluble	<b>Solubility in water:</b> not miscible / difficult to mix
	<b>Contact with skin:</b> Wash with water and soap, do not use solvents.
<b>Extinguishing media:</b> <ul style="list-style-type: none"> <li>• Water spray</li> <li>• CO<sub>2</sub></li> <li>• Dry-chemical fire extinguisher</li> <li>• Foam</li> </ul>	<p><b>After swallowing:</b> Rinse mouth with water. In case of complaints, call immediately a doctor.</p> <p><b>After Eye contact:</b> Remove contact lenses. Rinse opened eye for several minutes under running water. Then consult a doctor.</p>
	<b>Agreeably sweet / aromatic</b> No dangerous vapours because of low concentration during writing process.
<b>Disposal:</b> Environmentally friendly. No contamination of air or ground water in combusting plant. Empty refills can be disposed off with daily garbage considering local regulations.	<b>Disposal:</b> <u>Europe</u> According to local regulation, ex. to dispose of as colours. According to local regulation, ex. to dispose of as colours. European waste catalogue "Code 080111".

The information in this product data sheet refers to commercial quantities of finished products. It may not be always applicable for materials and preparations used for industrial processing.

The above mentioned data are based on our today's knowledge. They don't guarantee characteristics. Users of our products have to consider present laws and regulations in own responsibility. This product data sheet is not subject to an updating service.

Schneider has been certified as the first company of the writing instruments industry since 1998 after the world's most stringent environmental management system EMAS.