

Current version: 2.0.1, issued: 04.05.2016 Replaced version: 2.0.0, issued: 03.05.2016 Region: GB

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

edding Permanent Marker Ink (carmine) contained in: edding 3000, edding mini marker 0.5

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture

Ink for use in drawliners

Uses advised against

No data available.

1.3 Details of the supplier of the safety data sheet

Address

edding International GmbH

Bookkoppel 7

D-22926 Ahrensburg

Telephone no. +49 (0) 41 02 / 80 8-0

Information provided by / telephone

+49 (0)4102 - 808-0

Advice on Safety Data Sheet

sdb_info@umco.de

1.4 Emergency telephone number

For medical advice (in German and English):

+49 (0)30 30686 790 (Giftnotruf Berlin)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification in accordance with Regulation (EC) No 1272/2008 (CLP)

Aquatic Chronic 3; H412 Flam. Liq. 3; H226

STOT SE 3; H336

Classification information

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC) n° 1272/2008:

Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of Annex I to CLP

Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3, 4 and 5 of Annex I to CLP.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)

Hazard pictograms







Signal word Warning

Hazardous component(s) to be indicated on label:

1-methoxy-2-propanol

EC safety data sheet



Trade name: edding Permanent Marker Ink (carmine) contained in: edding 3000, edding mini marker 0.5

Current version: 2.0.1, issued: 04.05.2016 Replaced version: 2.0.0, issued: 03.05.2016 Region: GB

Hazard statements

H226 Flammable liquid and vapour.
H336 May cause drowsiness or dizziness.
H442

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P271 Use only outdoors or in a well-ventilated area.

P370+P378 In case of fire: Use water spray, extinguishing powder, foam or CO2 to extinguish.

P405 Store locked up.

P501 Dispose of contents/container to a facility in accordance with local and national

regulations.

2.3 Other hazards

No data available.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable. The product is not a substance.

3.2 Mixtures

Chemical characterization

Mixture (preparation)

Hazardous ingredients

No	Substance name		Additional information				
	CAS / EC / Index /	Classification (EC) 1272/2008 (CLP)	Conce	ntration			%
	REACH no						
1	1-methoxy-2-propa	nol					
	107-98-2	Flam. Liq. 3; H226			<	85.00	%-b.w.
	203-539-1	STOT SE 3; H336					
	603-064-00-3						
	-						
2		n-1(3H),9'(8'aH)-xanthylium], 3',6'					
		-oxo-, chloride, compd. with [4-[(4,5-dihydro-3					
	methyl-5-oxo-1-phenyl-1H-pyrazol-4-yl)azo]-3-hydroxy-1						
	naphthalenesulfonato(3-)]chromium (1:1), C.I. Solvent Red 127						
	72391-06-1	Acute Tox. 4; H302	<	5.00			%-b.w.
	276-631-2	Aquatic Chronic 4; H413					
	-						
	-						
3	9-[2-(ethoxycarbonyl)phenyl]-3,6-bis(ethylamino)-2,7						
	dimethylxanthylium ethyl sulphate						
	26694-69-9	Acute Tox. 4; H302	<	1.00			%-b.w.
	247-906-4	Aquatic Acute 1; H400					
	-	Eye Dam. 1; H318					
	-	Aquatic Chronic 1; H410					
	All Tark for all I have an and Ell I have an a relation 40						

Full Text for all H-phrases and EUH-phrases: pls. see section 16

3.3 Other information

The data subject of this Material Safety Data sheet refer to the ink contained in this product (marker).

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

In case of persisting adverse effects, consult a physician. Remove contaminated clothing and shoes immediately, and launder thoroughly before reusing.

EC safety data sheet



Trade name: edding Permanent Marker Ink (carmine) contained in: edding 3000, edding mini marker 0.5

Current version: 2.0.1, issued: 04.05.2016 Replaced version: 2.0.0, issued: 03.05.2016 Region: GB

After inhalation

Ensure supply of fresh air.

After skin contact

When in contact with the skin, clean with soap and water.

After eye contact

Remove contact lenses. Rinse eye thoroughly under running water keeping eyelids wide open and protecting the unaffected eye (at least 10 to 15 minutes). Seek medical assistance.

After ingestion

Rinse mouth thoroughly with water. Seek medical advice.

4.2 Most important symptoms and effects, both acute and delayed

No data available.

4.3 Indication of any immediate medical attention and special treatment needed

No data available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Alcohol-resistant foam; Extinguishing powder; Carbon dioxide; Water spray jet

Unsuitable extinguishing media

High power water jet

5.2 Special hazards arising from the substance or mixture

In the event of fire, the following can be released: Carbon dioxide (CO2); Carbon monoxide (CO)

5.3 Advice for firefighters

Cool endangered containers with water spray jet. Use self-contained breathing apparatus. Wear protective clothing.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Refer to protective measures listed in sections 7 and 8. Avoid contact with skin, eyes and clothing. Ensure adequate ventilation. Keep away sources of ignition.

For emergency responders

No data available. Personal protective equipment (PPE) - see Section 8.

6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater. Do not discharge into the subsoil/soil.

6.3 Methods and material for containment and cleaning up

Take up with absorbent material (e.g., sand, kieselguhr, universal binder). Send in suitable containers for recovery or disposal.

6.4 Reference to other sections

No data available.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Provide good ventilation of working area (local exhaust ventilation, if necessary).

General protective and hygiene measures

Do not eat, drink or smoke during work time. Keep away from foodstuffs and beverages. Avoid contact with eyes and skin. Remove soiled or soaked clothing immediately. Do not inhale vapours. Clean skin thoroughly after work; apply skin cream.



Current version: 2.0.1, issued: 04.05.2016 Reglaced version: 2.0.0, issued: 03.05.2016 Region: GB

Advice on protection against fire and explosion

Vapours can form an explosive mixture with air. Take precautionary measures against static charges. Keep away from sources of heat and ignition.

7.2 Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions

Keep container tightly closed and dry in a cool, well-ventilated place. Protect from heat and direct sunlight.

Requirements for storage rooms and vessels

Containers which are opened must be carefully closed and kept upright to prevent leakage. Always keep in containers of same material as the original one.

Advice on storage assembly

Do not store together with: Acids; Alkalis; Oxidizing agents; Acid chlorides

7.3 Specific end use(s)

No data available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values

No	Substance name	CAS no.		EC no.	
1	1-methoxy-2-propanol	107-98-2		203-539-1	
	2000/39/EWG				
	1-Methoxypropanol-2				
	STEL	568	mg/m³	150	ml/m³
	TWA	375	mg/m³	100	ml/m³
	Skin resorption / sensibilisation	Skin			
	List of approved workplace exposure limits (WELs) /	EH40			
	1-Methoxypropan-2-ol				
	STEL	560	mg/m³	150	ml/m³
	TWA	375	mg/m³	100	ml/m³
	Skin resorption / sensibilisation	Sk			

8.2 Exposure controls

Appropriate engineering controls

No data available.

Personal protective equipment

Respiratory protection

If workplace exposure limits are exceeded, a respiration protection approved for this particular job must be worn. In case of aerosol and mist formation, take appropriate measures for breathing protection in the event workplace threshold values are not specified.

Eye / face protection

Safety glasses with side protection shield (EN 166)

Hand protection

Sufficient protection is given wearing suitable protective gloves checked according to i.e. EN 374, in the event of risk of skin contact with the product . Before use, the protective gloves should be tested in any case for its specific workstation suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves.

Appropriate Material butyl rubber

Material thickness 0.5 mm Breakthrough time > 240 min.

Other

Normal chemical work clothing.



Current version: 2.0.1, issued: 04.05.2016 Replaced version: 2.0.0, issued: 03.05.2016 Region: GB

Environmental exposure controls

No data available.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Information on basic physical and the	пост респрант					
Form/Colour						
liquid carmine red; red violet						
Odour						
characteristic						
Odour threshold						
No data available						
pH value						
Value	3.8	- 5.8				
Boiling point / boiling range Value		440	°C			
		112 1013	hPa			
Reference pressure		1013	ПГА			
Melting point / melting range						
No data available						
Decomposition point / decomposition range						
No data available						
Flash point						
Value	appr	30	°C			
Value Method	appr. Abel-Pensky	30	°C			
** * *		30	°C			
Method		30	°C			
Method Auto-ignition temperature		30	°C			
Auto-ignition temperature No data available		30	°C			
Auto-ignition temperature No data available Oxidising properties		30	°C			
Auto-ignition temperature No data available Oxidising properties No data available		30	°C			
Auto-ignition temperature No data available Oxidising properties No data available Explosive properties		30	°C			
Auto-ignition temperature No data available Oxidising properties No data available		30	°C			
Method Auto-ignition temperature No data available Oxidising properties No data available Explosive properties No data available		30	°C			
Auto-ignition temperature No data available Oxidising properties No data available Explosive properties		30	°C			
Method Auto-ignition temperature No data available Oxidising properties No data available Explosive properties No data available Flammability (solid, gas) No data available		30	°C			
Auto-ignition temperature No data available Oxidising properties No data available Explosive properties No data available Flammability (solid, gas) No data available Lower flammability or explosive limits		30	°C			
Auto-ignition temperature No data available Oxidising properties No data available Explosive properties No data available Flammability (solid, gas) No data available Lower flammability or explosive limits No data available		30	°C			
Auto-ignition temperature No data available Oxidising properties No data available Explosive properties No data available Flammability (solid, gas) No data available Lower flammability or explosive limits No data available Upper flammability or explosive limits		30	°C			
Auto-ignition temperature No data available Oxidising properties No data available Explosive properties No data available Flammability (solid, gas) No data available Lower flammability or explosive limits No data available Upper flammability or explosive limits No data available		30	°C			
Auto-ignition temperature No data available Oxidising properties No data available Explosive properties No data available Flammability (solid, gas) No data available Lower flammability or explosive limits No data available Upper flammability or explosive limits No data available Vapour pressure						
Auto-ignition temperature No data available Oxidising properties No data available Explosive properties No data available Flammability (solid, gas) No data available Lower flammability or explosive limits No data available Upper flammability or explosive limits No data available		110 50	°C kPa °C			



Current version: 2.0.1, issued: 04.05.2016 Replaced version: 2.0.0, issued: 03.05.2016 Region: GB

0.964 -	0.966	g/cm ³
	20	°C
	12	000
	12	sec °C
Efflux time	12 20	sec °C
Efflux time		
Efflux time DIN cup 4 mm		
	0.964 -	

9.2 Other information

Reference temperature

Other information	
The physical data is that of the main component/s.	

SECTION 10: Stability and reactivity

10.1 Reactivity

No data available.

10.2 Chemical stability

Stable under recommended storage and handling conditions (See section 7).

10.3 Possibility of hazardous reactions

Formation of hydrogen gas upon contact with materials to avoid. Explosion hazard.

10.4 Conditions to avoid

No data available.

10.5 Incompatible materials

Acids; Alkalis; Oxidizing agents; Acid chlorides

10.6 Hazardous decomposition products

Hydrogen



Current version: 2.0.1, issued: 04.05.2016 Replaced version: 2.0.0, issued: 03.05.2016 Region: GB

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acu	Acute oral toxicity (result of the ATE calculation for the mixture)				
No	Product Name				
1	edding Permanent Marker Ink (carmine) contained				
	in: edding 3000, edding mini marker 0.5				
Rem	narks	The result of the applied calculation method according to the			
		European Regulation (EC) 1272/2008 (CLP), Paragraph 3.1.3.6,			
		Part 3 of Annex I is outside the values that imply a classification /			
		labelling of this mixture according to table 3.1.1 defining the			
		respective categories (ATE oral > 2000 mg/kg).			

Acu	Acute oral toxicity					
No	Substance name	C.A	AS no.	EC no.		
1	1-methoxy-2-propanol	10	7-98-2	203-539-1		
LD5	0		5660	mg/kg bodyweight		
Species		rat				
Source		Manufacturer				
2	9-[2-(ethoxycarbonyl)phenyl]-3,6-bis(eth)	ylamino)-2,7 26	694-69-9	247-906-4		
	dimethylxanthylium ethyl sulphate					
LD5	0		400	mg/kg bodyweight		
Species		rat				
		Manufacturer				

Acu	Acute dermal toxicity						
No	Substance name	CAS no.		EC no.			
1	1-methoxy-2-propanol	107-98-2		203-539-1			
LD5	0		9999.99	mg/kg bodyweight			
Species		rabbit					
		Manufacturer					

Acute	inhalational	toxicity
-------	--------------	----------

No data available

Skin corrosion/irritation

No data available

Serious eye damage/irritation

No data available

Respiratory or skin sensitisation

No data available

Germ cell mutagenicity

No data available

Reproduction toxicity

No data available

Carcinogenicity

No data available

STOT-single exposure

No data available

STOT-repeated exposure

No data available

Aspiration hazard

No data available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Inhalation of solvent vapours in higher concentration may lead to nausea, headache, drowsiness and dizziness. Repeated and prolonged skin contact may cause removal of natural fat from the skin and irritation of the skin.



Current version: 2.0.1, issued: 04.05.2016 Replaced version: 2.0.0, issued: 03.05.2016 Region: GB

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish (acute)

No data available

Toxicity to fish (chronic)

No data available

Toxicity to Daphnia (acute)

No data available

Toxicity to Daphnia (chronic)

No data available

Toxicity to algae (acute)

No data available

Toxicity to algae (chronic)

No data available

Bacteria toxicity

No data available

12.2 Persistence and degradability

No data available.

12.3 Bioaccumulative potential

No data available.

12.4 Mobility in soil

No data available.

12.5 Results of PBT and vPvB assessment

No data available.

12.6 Other adverse effects

No data available.

12.7 Other information

Other information

Do not discharge product unmonitored into the environment.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

Packaging

Residuals must be removed from packaging and when emptied completely disposed of in accordance with the regulations for waste removal. Incompletely emptied packaging must be disposed of in the form of disposal specified by the regional disposer.



Current version: 2.0.1, issued: 04.05.2016 Replaced version: 2.0.0, issued: 03.05.2016 Region: GB

SECTION 14: Transport information

14.1 Transport ADR/RID/ADN

Class 3
Classification code F1
Packing group III
Hazard identification no. 30
UN number UN1263

Technical name PAINT RELATED MATERIAL

Special Provision 640 640E Tunnel restriction code D/E Label 3

14.2 Transport IMDG

Class 3
Packing group III
UN number UN1263

Proper shipping name PAINT RELATED MATERIAL

EmS F-E+S-E Label 3

14.3 Transport ICAO-TI / IATA

Class 3
Packing group III
UN number UN1263

Proper shipping name Paint related material

Label 3

14.4 Other information

No data available.

14.5 Environmental hazards

Information on environmental hazards, if relevant, please see 14.1 - 14.3.

14.6 Special precautions for user

No data available.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not relevant

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture <u>EU regulations</u>

Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

REACH candidate list of substances of very high concern (SVHC) for authorisation

According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.

Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, PREPARATIONS AND ARTICLES

The product is considered being subject to REACH regulation (EC) 1907/2006 annexe No 3, 40 XVII.

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances This product is subject to Part I of Annex I, risk category: P5c

EC safety data sheet



Trade name: edding Permanent Marker Ink (carmine) contained in: edding 3000, edding mini marker 0.5

Current version: 2.0.1, issued: 04.05.2016 Replaced version: 2.0.0, issued: 03.05.2016 Region: GB

15.2 Chemical safety assessment

For this mixture a chemical safety assessment has not been carried out.

SECTION 16: Other information

Sources of key data used to compile the data sheet:

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

EC Directives 2000/39/EC, 2006/15/EC, 2009/161/EU

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding chapter.

Full text of the H- and EUH- phrases drawn up in sections 2 and 3 (provided not already drawn up in these sections)

H302 Harmful if swallowed.
H318 Causes serious eye damage.
H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.
 H413 May cause long lasting harmful effects to aquatic life.

Department issuing safety data sheet

UMCO Umwelt Consult GmbH

Georg-Wilhelm-Str. 183, D-21107 Hamburg

Tel.: +49 40 / 79 02 36 300 Fax: +49 40 / 79 02 36 357 e-mail: umco@umco.de

This information is based on our present knowledge and experience.

The safety data sheet describes products with a view to safety requirements.

It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO Umwelt Consult GmbH.